

.

---

**From:** Sondra Slesinski <sslesins@ehs.umass.edu>  
**Sent:** Wednesday, January 26, 2011 10:49 AM  
**To:** PP Service Desk  
**Cc:** 'Hanchett, James (DPH)'  
**Subject:** RE: Parking Lots

All,

I just received this request....will you please dispatch Grounds to check out? Thank you.

Sondra

-----  
Sondra L. Slesinski  
Environmental Health & Safety  
Physical Plant Safety Officer  
University of Massachusetts Amherst  
(413)545-4192

-----  
**From:** Hanchett, James (DPH) [<mailto:James.Hanchett@state.ma.us>]  
**Sent:** Wednesday, January 26, 2011 10:25 AM  
**To:** 'sslesins@ehs.umass.edu'  
**Subject:** Parking Lots

Hi Sandra,

Two of the parking lots around Morrill I and IV North have not been plowed. Handicap parking is not accessible for our building and deliveries can not be made to the loading dock. Is this something you can help us with if not who should I contact?

Thanks,

Jim Hanchett  
Amherst Drug Lab  
Room N251 Morrill I  
637 North Pleasant Street  
Amherst, MA 01003  
Phone 413-545-2607  
Fax 413-545-2608  
Cell 413-459-3023